





015S1

#PTO LAT. H. D. SCANIA GRS 900

POSSIBLE SOLUTIONS



04/07/2007

TEC. SPECIFICATIONS

Status	In production	Revision	1
	Outlet 1		
Torque (NM)	530	Replaces	02249
Int. Ratio	1,09	Replaced by	
Teeth number	25		

CONTROL TYPE HYDROCAR

☐ Electric
 ☐ Hydraulic
 ☐ Mechanic
 ☐ Fixed engagement
 ☒ Pneumatic
 ☐ Vacuum system

CONTROL VERSIONS (XX)

Type	P17A6	Description
P (Pneumatic)	1	#Comando Pneum. 1/8"GAS

AVAILABLE OPTIONS (Y)

P17A6	Description	Lubr. Kit	Switch Kit	Reinforced
1	#Tappo ispezione			☒
2	#Guarnizioni in VITON			☒
3	#Predisposta inter.			☐
5	#Versione con inter.MERIT		194KSP17000000	☒

OUTLET VERSIONS (ZZZ)

P17A6	Description
201	3-HOLE PUMP REAR UNI
294	4 HOLES PUMP SE/R REAR
740	FL DIN00 REAR SIDE
741	FL SPICER 1120 REAR SIDE
742	FL DIN10 REAR SIDE
743	FL SPICER 1300 REAR SIDE
744	FL SPICER 1410 REAR SIDE



015S1

#PTO LAT. H. D. SCANIA GRS 900

Conversion kit

Pneumatic/Mechanic	UNI from
Mechanic/Pneumatic	DIN 5462 606X03RZ000000
Electric control	SE/R

Flange kit

P17A6	Description
197KFL21000000	DIN00 (90mm) IVECO
197KFL22000000	DIN10 (100mm) IVECO
197KFL27000000	SPICER 1300 IVECO
197KFL28000000	SPICER 1120 IVECO
197KFL38000000	SPICER 1410 IVECO

Lubrication kit

Switch kit

P17A6	Description
194KSP17000000	DIN 2.5 M16x1.5 N.O.

Bracket kit

ELECTRIC KITS



015S1

#PTO LAT. H. D. SCANIA GRS 900

TECH.PICTURE

