





081M3

#PTO POS. H. D. MERCEDES G100 (ATEGO)

POSSIBLE SOLUTIONS



22/06/2016

TEC. SPECIFICATIONS

Status	In production	Revision	1
	Outlet 1		
Torque (NM)	600	Replaces	02713
Int. Ratio	1	Replaced by	
Teeth number	12		

CONTROL TYPE HYDROCAR

☐ Electric
 ☐ Hydraulic
 ☐ Mechanical
 ☐ Fixed engagement
 ☒ Pneumatic
 ☐ Vacuum system

CONTROL VERSIONS (XX)

Type	P17A6	Description
P (Pneumatic)	1	#Cmd. M12x1.5 con raccordo
P (Pneumatic)	2	#Cmd. M12x1.5 senza racc.

AVAILABLE OPTIONS (Y)

P17A6	Description	Lubr. Kit	Switch Kit	Reinforced
0	#Non presente			☒
4	#Con kit interrut. Kostal		194KSP41000000	☒
5	#Con kit interrut. Merit		194KSP19000000	☒
6	#Con kit interrut. T.D.S.		194KSP40000000	☒

OUTLET VERSIONS (ZZZ)

P17A6	Description
204	Pump drive SE 4-Bolts



081M3

#PTO POS. H. D. MERCEDES G100 (ATEGO)

Conversion kit

Pneumatic/Mechanic	#UNI da	
Mechanic/Pneumatic	DIN 5462	606X02Z0000000
Electric control	(SE)	

Flange kit

P17A6	Description
606X03F0500000	DIN 00 x PTO 0081
606X03F0600000	DIN 10 x PTO 0081
606X03F0700000	SP 1120 x PTO 0081
606X03F0800000	SP 1300 x PTO 0081
606X03F0900000	KIOKUTO "B"x 0081
606X03F1000000	SP 1400 x PTO 0081

Lubrication kit

Switch kit

P17A6	Description
194KSP19000000	#DIN2.5 M16x1.5 N.C.
194KSP40000000	#TDS M 16x1.5 N.C.
194KSP41000000	#EATON N.C.

Bracket kit

ELECTRIC KITS



#PTO POS. H. D. MERCEDES G100 (ATEGO)

TECH.PICTURE

BAYONET TYPE DIN 2.5

FASTON 6.4 mm CONNECTION

A8x32x36 DIN 5462



AIR INLET FOR Ø6x4 PIPE